ELSEVIER

Thin Solid Films 341 (1999) 246–247

thin solid films

Author Index of Volume 341

Akashi, K., 132
An, K.J., 176
An, K-S., 156, 160

Baek, J-T., 184
Baglin, J.E.E., 238
Baik, H.K., 230
Baik, Y.J., 42, 202
Belmonte, T., 1, 27
Bockel, S., 1
Boo, J-H., 63

Cameron, D.C., 94
Chae, K.H., 234
Chang, G.S., 234
Chang, H-Y., 109
Chi, K.K., 112
Cho, J.H., 192
Cho, S-J., 207
Choe, Y.S., 230
Choi, C-K., 109
Choi, H.C., 192
Choi, I.H., 42
Choi, K.H., 152
Chowdhurry, A.K.M.S., 94
Chung, J.H., 230
Chung, K.H., 9
Chung, S.J., 196
Czerwiec, T., 1, 27

Eun, K.Y., 202

Fujiyama, H., 55, 59, 221

Goebel, H., 101

Ha, S.C., 216
Han, E.J., 196
Han, K., 192
Han, K.H., 22
Han, K.P., 160
Hee Han, J., 207
Hong, J., 37
Hur, J.S., 18
Hwang, B.G., 112
Hwang, C-C., 156
Hwang, S.W., 168
Hwang, Y.S., 22

Inoue, Y., 47
Irie, M., 126
Ishida, T., 225
Ito, S., 132

Jang, G.E., 73, 79
Jang, H.K., 148
Jang, J., 196
Jang, W.H., 192
Jeon, H., 9
Jeong, J., 91
Jeong, J.I., 234
Jung, C.O., 112
Jung, J.K., 9
Jung, S-T., 188

Kakizakia, A., 156
Kang, D.H., 216
Kang, M-S., 109
Kang, Y.B., 9
Katayama, M., 140
Kellock, A.J., 238
Kim, B.J., 13, 73, 79
Kim, C.W., 192
Kim, D.S., 68, 188, 230
Kim, E.J., 192
Kim, H.H., 225
Kim, H.J., 22, 152
Kim, H-M., 52
Kim, H-S., 42, 176, 180, 184, 188
Kim, I.H., 216
Kim, J.H., 192
Kim, J.Y., 152
Kim, J-S., 156
Kim, K-B., 52, 216
Kim, K.S., 91
Kim, K.W., 166
Kim, S.H., 31
Kim, T.G., 234
Kim, T.Y., 9
Kim, T-I., 180
Kim, Y., 63, 91
Kim, Y.K., 211
Kimura, A., 156
Kitagawa, N., 126
Ko, D.K., 9
Ko, D-H., 207
Ko, W., 63
Komatsu, Y., 132
Kudryavtsev, Y.V., 166
Kwon, D., 136
Kwon, Y.S., 172

Lee ,C.E., 148
Lee ,K.H., 211
Lee, E-T., 73, 79
Lee, G.M., 166
Lee, H.J., 192
Lee, J., 13
Lee, J.D., 216
Lee, J.G., 112
Lee, J.K., 202
Lee, J.W., 168, 192
Lee, J.Y., 168, 211
Lee, J-B., 156
Lee, J-W., 180
Lee, K-R., 68, 207
Lee, M.J., 211
Lee, M.Y., 112
Lee, S., 37, 68
Lee, S.H., 136
Lee, S.K., 160
Lee, S-B., 63
Lee, T.D., 31
Lee, W-J., 172, 184
Lee, W.S., 202
Lee, Y.H., 172
Lee, Y.J., 168
Lee, Y.P., 166, 234
Lee, Y.S., 152
Lee, Y.W., 192
Lefèvre, L., 27

Maemura, Y., 55
Mashimo, K., 84
Matsuda, Y., 221
Michel, H., 1, 27
Min, S.H., 52, 216
Monclus, M.A., 94
Moon, J.H., 196
Moon, J.T., 112
Muta, M., 221

Nakagawa, Y., 84
Nogami, H., 84
Noh, S.J., 9, 148
Nomura, T., 126

Oechsner, H., 101, 105
Oh, J.H., 160
Oh, S.G., 18, 37, 68
Ohara, H., 126
Ohgushi, S., 221
Ohtsu, M., 55

Park, C-Y., 156, 160
Park, K.J., 225
Park, M., 91
Park, R-J., 156
Park, S-E., 52
Park, Y.J., 42
Pearton, S.J., 192

Rhee, S-G., 68
Rhee, T.H., 192
Ricard, A., 1, 27

Samukawa, S., 84
Sato, H., 84
Sato, T., 132
Scheib, M., 101
Setoyama, M., 126
Shin, C.B., 18
Shin, J.H., 225
Shin, K.H., 31
Shin, S.H., 225
Smardz, L., 166
Son, J.H., 234
Song, H-S., 188

0040-6090/99/$ - see front matter © 1999 Elsevier Science S.A. All rights reserved.
PII: S0040-6090(99)00128-5

Tabata, O., 225
Takai, O., 47
Takeda, Y., 126
Tanaka, K., 120
Tazoe, K., 55
Tsujioka, M., 126
Tsukada, T., 84

Ullmann, J., 238

Wani, E., 84
Whang, C.N., 234
Yang, S-C., 55, 59
Yeom, G-Y., 168, 172, 176, 180, 184
Yi, S.Y., 192
Yong Eun, K., 207
Yoo, J.B., 13, 176
Yoon, J.K., 172
Yoon, N.S., 22
You, B.G., 192
Yu, K-S., 63
Yun, S-M., 109

ELSEVIER

Thin Solid Films 341 (1999) 248–252

thin solid films

Subject Index of Volume 341

Alkali metals
Alkali metal promoted oxidation of the Si(113) surface, 156
Amorphous and nanocrystalline hydrogenated Ge and Si films
ECWR-Plasma CVD as a novel technique for phase controlled deposition of semiconductor films, 101
Atom manipulation
Nanotechnology towards the 21st Century, 120
Atomic transport
Effect of cohesive energy on atomic transport in ion beam mixed Co/Pt bilayer film, 234
Auger electron spectroscopy
Analysis of electrically non-conducting sample structures with electron and mass spectroscopic methods, 105

Bias enhanced nucleation
The nucleation of highly oriented diamond on silicon using a negative bias, 211
Fabrication of gated diamond field emitter array using a selective diamond growth process, 216
Bilayer films
Effect of cohesive energy on atomic transport in ion beam mixed Co/Pt bilayer film, 234
c-Bn
Reduction of intrinsic stress in cubic boron nitride films, 238

Carbon nitride
Electrical properties of reactively sputtered CN_x films, 94
CdS
Effects of CdS substrates on the physical properties of polycrystalline CdTe Films, 172
CdTe
Effects of CdS substrates on the physical properties of polycrystalline CdTe Films, 172
Ceramics superlattice
Thermal stability of TiN/AlN superlattices, 126
CF/SiOF composite film
Low dielectric constant CF/SiOF composite film deposition in a helicon plasma reactor, 109
Chemical vapor deposition
Advanced plasma technology in microelectronics, 112
Large area deposition of thick diamond film by direct-current PACVD, 202
CoCrTa/Cr
Effects of substrate bias voltage on properties of CoCrTa/Cr media, 31
Cohesive energy
Effect of cohesive energy on atomic transport in ion beam mixed Co/Pt bilayer film, 234
Conducting oxide
Sol-gel derived (La, Sr)CoO_3 thin films on silica glass, 13
Cr segregation
Effects of substrate bias voltage on properties of CoCrTa/Cr media, 31
Crossed magnetic field
Correlation between silicon particles and modulated crossed magnetic field in silane plasmas, 55
Cubic AlN
Thermal stability of TiN/AlN superlattices, 126
Cyclic hydrogen etching treatment
The nucleation of highly oriented diamond on silicon using a negative bias, 211

Damage
Etch-induced damage in single crystal Si trench etching by planar inductively coupled Cl_2/N_2 and Cl_2/HBr plasmas, 168
Depolarisation factor
In situ ellipsometry studies of temperature-dependent Au thin-film growth, 37
Diamond film
Large area deposition of thick diamond film by direct-current PACVD, 202
Diamond-like carbon
Structure and optical properties of Si incorporated diamond-like carbon films deposited by r.f. plasma-assisted chemical vapor deposition, 68
Advanced PECVD processes for highly electron emitting diamond-like-carbon, 196
Determination of elastic modulus and Poisson ratio of diamond-like carbon films, 207

$E \times B$ drift
Correlation between silicon particles and modulated crossed magnetic field in silane plasmas, 55
Control of silicon particle behavior using a low frequency electromagnetic field in silane plasma chemical vapor deposition, 59
ECR plasma
A two-dimensional simulation of electron cyclotron resonance plasma and comparison with experimental data, 18
Effective medium approximation
In situ ellipsometry studies of temperature-dependent Au thin-film growth, 37
Elastic modulus

0040-6090/99/$ - see front matter © 1999 Elsevier Science S.A. All rights reserved.
PII: S0040-6090(99)000129-7

Determination of elastic modulus and Poisson ratio of diamond-like carbon films, 207
Electrical properties
Electrical properties of reactively sputtered CN_x films, 94
Electromigration
The analysis of thermal stress effect on electromigration failure time in Al alloy thin-film interconnects, 135
Electron beam plasma source
Properties of the plasma produced by multi-cathode electron beam plasma sources, 9
Electron cyclotron wave resonance
ECWR-Plasma CVD as a novel technique for phase controlled deposition of semiconductor films, 101
Electron density
A two-dimensional simulation of electron cyclotron resonance plasma and comparison with experimental data, 18
Electron temperature
A two-dimensional simulation of electron cyclotron resonance plasma and comparison with experimental data, 18
Emission spectroscopy
Detection by emission spectroscopy of active species in plasma–surface processes, 1
Etch-induced damage in single crystal Si trench etching by planar inductively coupled Cl_2/N_2 and Cl_2/HBr plasmas, 168
Etching
Advanced plasma technology in microelectronics, 112
Inductively coupled plasma etching of SiO2 layers for planar lightwave circuits, 188

α-Fe_2O_3
Characterization of α-Fe_2O_3 thin films processed by plasma enhanced chemical vapor deposition (PECVD), 73
Phase transformation phenomena from α type to γ type one of Fe_2O_3 thin film deposited by PECVD, 79
Fe_3O_4
Phase transformation phenomena from α type to γ type one of Fe_2O_3 thin film deposited by PECVD, 79
γ-Fe_3O_4
Phase transformation phenomena from α type to γ type one of Fe_2O_3 thin film deposited by PECVD, 79
Film properties for photovoltaic applications
ECWR-Plasma CVD as a novel technique for phase controlled deposition of semiconductor films, 101
Fluid simulation
A two-dimensional simulation of electron cyclotron resonance plasma and comparison with experimental data, 18
Function recognition
Lateral force microscopy study of functionalized self-assembled monolayer surfaces, 91

GaN
A study of GaN etch mechanisms using inductively coupled Cl_2/Ar plasmas, 180
A study of GaN etch mechanisms using inductively coupled Cl_2/Ar plasmas, 188
Gas sensor
Characterization of α-Fe_2O_3 thin films processed by plasma enhanced chemical vapor deposition (PECVD), 73
Gas-phase n-doping
Advanced PECVD processes for highly electron emitting diamond-like-carbon, 196
Gated diamond field emitter array
Fabrication of gated diamond field emitter array using a selective diamond growth process, 216
Growth model
In situ ellipsometry studies of temperature-dependent Au thin-film growth, 37

Haematite
Characterization of α-Fe_2O_3 thin films processed by plasma enhanced chemical vapor deposition (PECVD), 73
Helicon plasma reactor
Low dielectric constant CF/SiOF composite film deposition in a helicon plasma reactor, 109
Helicon wave plasmas
Etching using high density plasma sources, 84
Investigation of surface polymerization on silicon exposed to C_4F_8 helicon wave plasmas, 185
Investigation of surface polymerization on silicon exposed to C_4F_8 helicon wave plasmas, 192
High density plasma
Advanced plasma technology in microelectronics, 112
High density plasma source
Etching using high density plasma sources, 84
Highly oriented diamond
The nucleation of highly oriented diamond on silicon using a negative bias, 211
Hydrogen-free diamond-like-carbon
Advanced PECVD processes for highly electron emitting diamond-like-carbon, 196

In situ ellipsometry
In situ ellipsometry studies of temperature-dependent Au thin-film growth, 37
Indium tin oxide
ITO/Ag/ITO multilayer films for the application of a very low resistance transparent electrode, 152
Two-dimensional spatial profiles of plasma parameters in DC reactive magnetron sputtering of indium-tin-oxide, 221
Low resistivity indium tin oxide films deposited by unbalanced DC magnetron sputtering, 225
Inductively coupled plasma
Etch-induced damage in single crystal Si trench etching by planar inductively coupled Cl_2/N_2 and Cl_2/HBr plasmas, 168
A study on the characteristics of inductively coupled plasma using multidipole magnets and its application to oxide etching, 176
Interfaces
Dependence of the properties of Co/Ti multilayered films on the ferromagnetic sublayer thickness, 165
Ion beam mixing
Effect of cohesive energy on atomic transport in ion beam mixed Co/Pt bilayer film, 234
Ion beam sputtering

Ion beam sputtering of SnO_2 with low energy oxygen ion beams, 230
Ion implantation
Reduction of intrinsic stress in cubic boron nitride films, 238
Iron silicide
Effects of the different heat treatments on the growth and formation of iron silicide on Si(100), 160

$(La,Sr)CoO_3$
Sol-gel derived (La, Sr)CoO_3 thin films on silica glass, 13
Large-area
Development of a large-area transformer coupled plasma source, 22
Large area deposition
Large area deposition of thick diamond film by direct-current PACVD, 202
Large cathode DC PACVD
Large area deposition of thick diamond film by direct-current PACVD, 202
Lateral force microscopy
Lateral force microscopy study of functionalized self-assembled monolayer surfaces, 91
Layer-by-layer deposition
Advanced PECVD processes for highly electron emitting diamond-like-carbon, 196
Leakage current
Poly-Si thin film transistors with a source overlap and a drain offset: leakage current characteristics, 148
Lightly doped offset
Poly-Si thin film transistors with a source overlap and a drain offset: leakage current characteristics, 148
Lightwave circuits
Inductively coupled plasma etching of SiO2 layers for planar lightwave circuits, 188
Liquid crystal displays
TFT-LCD technology, 140
Loss probabilities
Measurements of the loss probability of nitrogen atoms versus temperature on various surfaces, 27
Low dielectric constant
Low dielectric constant CF/SiOF composite film deposition in a helicon plasma reactor, 109
Low temperature growth
β-SiC Thin film growth using microwave plasma activated CH_4-SiH_4 sources, 42

Magnetic recording media
Effects of substrate bias voltage on properties of CoCrTa/Cr media, 31
Magneto-optical properties
Dependence of the properties of Co/Ti multilayered films on the ferromagnetic sublayer thickness, 165
Magnetron sputtering
Electrical properties of reactively sputtered CN_x films, 94
Low resistivity indium tin oxide films deposited by unbalanced DC magnetron sputtering, 225
Mass spectrometry
Properties of silicon oxide films deposited by plasma-enhanced CVD using organosilicon reactants and mass analysis in plasma, 47
MgO
Growth of magnesium oxide thin films using single molecular precursors by metal–organic chemical vapor deposition, 63
Microcontact printing
Lateral force microscopy study of functionalized self-assembled monolayer surfaces, 91
Microvoid
β-SiC Thin film growth using microwave plasma activated CH_4-SiH_4 sources, 42
Microwave plasma
β-SiC Thin film growth using microwave plasma activated CH_4-SiH_4 sources, 42
MOCVD
Growth of magnesium oxide thin films using single molecular precursors by metal–organic chemical vapor deposition, 63
Preparation of YBCO/ZrO_2 thin films on Si by MOCVD using a mode converting type of microwave plasma apparatus, 132
Mode converter
Preparation of YBCO/ZrO_2 thin films on Si by MOCVD using a mode converting type of microwave plasma apparatus, 132
Modulated electromagnetic field
Control of silicon particle behavior using a low frequency electromagnetic field in silane plasma chemical vapor deposition, 59
Multi-cathode DC PACVD
Large area deposition of thick diamond film by direct-current PACVD, 202
Multidipole magnets
A study on the characteristics of inductively coupled plasma using multidipole magnets and its application to oxide etching, 176
Multilayer
ITO/Ag/ITO multilayer films for the application of a very low resistance transparent electrode, 152
Multilayered films
Dependence of the properties of Co/Ti multilayered films on the ferromagnetic sublayer thickness, 165

Nanotechnology
Nanotechnology towards the 21st Century, 120
Novel process
Reduction of intrinsic stress in cubic boron nitride films, 238

Optical emission spectroscopy
Measurements of the loss probability of nitrogen atoms versus temperature on various surfaces, 27
Optical gaps
Structure and optical properties of Si incorporated diamond-like carbon films deposited by r.f. plasma-assisted chemical vapor deposition, 68
Optical properties
Dependence of the properties of Co/Ti multilayered films on the ferromagnetic sublayer thickness, 165
Organosilicon compound
Properties of silicon oxide films deposited by plasma-

enhanced CVD using organosilicon reactants and mass analysis in plasma, 47
Oxidation
Alkali metal promoted oxidation of the Si(113) surface, 156
Oxide etching
A study on the characteristics of inductively coupled plasma using multidipole magnets and its application to oxide etching, 176
Oxygen ion beam
Ion beam sputtering of SnO_2 with low energy oxygen ion beams, 230

Plasma assisted chemical vapour deposition
ECWR-Plasma CVD as a novel technique for phase controlled deposition of semiconductor films, 101
Determination of elastic modulus and Poisson ratio of diamond-like carbon films, 207
Plasma enhanced chemical vapor deposition (PECVD)
Properties of silicon oxide films deposited by plasma-enhanced CVD using organosilicon reactants and mass analysis in plasma, 47
RuO_2 thin film fabrication with plasma-enhanced chemical vapor deposition, 52
Characterization of α-Fe_2O_3 thin films processed by plasma enhanced chemical vapor deposition (PECVD), 73
Phase transformation phenomena from α type to γ type one of Fe_2O_3 thin film deposited by PECVD, 79
Plasma etching
A study of GaN etch mechanisms using inductively coupled Cl_2/Ar plasmas, 180
Plasma–surface processes
Detection by emission spectroscopy of active species in plasma–surface processes, 1
Poisson ratio
Determination of elastic modulus and Poisson ratio of diamond-like carbon films, 207
Poly-Si thin-film transistors
Poly-Si thin film transistors with a source overlap and a drain offset: leakage current characteristics, 148
Preferred orientation
Ion beam sputtering of SnO_2 with low energy oxygen ion beams, 230
Pulse plasma
Advanced plasma technology in microelectronics, 112

Rapid thermal annealing
Effects of CdS substrates on the physical properties of polycrystalline CdTe Films, 172
Reactive deposition epitaxy
Effects of the different heat treatments on the growth and formation of iron silicide on Si(100), 160
Reactive magnetron sputtering
Two-dimensional spatial profiles of plasma parameters in DC reactive magnetron sputtering of indium-tin-oxide, 221
Resistivity
Low resistivity indium tin oxide films deposited by unbalanced DC magnetron sputtering, 225
Room temperature
Properties of silicon oxide films deposited by plasma-enhanced CVD using organosilicon reactants and mass analysis in plasma, 47
Ruthenium
RuO_2 thin film fabrication with plasma-enhanced chemical vapor deposition, 52

Sapphire
Growth of magnesium oxide thin films using single molecular precursors by metal–organic chemical vapor deposition, 63
Scanning plasma method
Control of silicon particle behavior using a low frequency electromagnetic field in silane plasma chemical vapor deposition, 59
Secondary neutral mass spectrometry
Analysis of electrically non-conducting sample structures with electron and mass spectroscopic methods, 105
Selective diamond growth
Fabrication of gated diamond field emitter array using a selective diamond growth process, 216
Self-assembled monolayer
Lateral force microscopy study of functionalized self-assembled monolayer surfaces, 91
Shallow trench isolation
Etch-induced damage in single crystal Si trench etching by planar inductively coupled Cl_2/N_2 and Cl_2/HBr plasmas, 168
Si(113)
Alkali metal promoted oxidation of the Si(113) surface, 156
Silicon
Control of silicon particle behavior using a low frequency electromagnetic field in silane plasma chemical vapor deposition, 59
Growth of magnesium oxide thin films using single molecular precursors by metal–organic chemical vapor deposition, 63
Nanotechnology towards the 21st Century, 120
Investigation of surface polymerization on silicon exposed to C_4F_8 helicon wave plasmas, 185
Inductively coupled plasma etching of SiO2 layers for planar lightwave circuits, 188
Investigation of surface polymerization on silicon exposed to C_4F_8 helicon wave plasmas, 192
β-SiC
β-SiC Thin film growth using microwave plasma activated CH_4-SiH_4 sources, 42
SnO_2
Ion beam sputtering of SnO_2 with low energy oxygen ion beams, 230
Silicon dioxide
Alkali metal promoted oxidation of the Si(113) surface, 156
Inductively coupled plasma etching of SiO2 layers for planar lightwave circuits, 188
SiO_2 Etching
Etching using high density plasma sources, 84
Silicon particle
Correlation between silicon particles and modulated crossed magnetic field in silane plasmas, 55
Single molecular precursors

Growth of magnesium oxide thin films using single molecular precursors by metal–organic chemical vapor deposition, 63
Sol-gel
Sol-gel derived (La, Sr)CoO_3 thin films on silica glass, 13
Solid phase epitaxy
Effects of the different heat treatments on the growth and formation of iron silicide on Si(100), 160
Source overlap
Poly-Si thin film transistors with a source overlap and a drain offset: leakage current characteristics, 148
SP^2 clusters
Structure and optical properties of Si incorporated diamond-like carbon films deposited by r.f. plasma-assisted chemical vapor deposition, 68
Stress reduction
Reduction of intrinsic stress in cubic boron nitride films, 238
substrate bias
Effects of substrate bias voltage on properties of CoCrTa/Cr media, 31
Surface polymerization
Investigation of surface polymerization on silicon exposed to C_4F_8 helicon wave plasmas, 185
Investigation of surface polymerization on silicon exposed to C_4F_8 helicon wave plasmas, 192

Thermal stability
Thermal stability of TiN/AlN superlattices, 126
Thermal stress
The analysis of thermal stress effect on electromigration failure time in Al alloy thin-film interconnects, 135
Thin film transistors
TFT-LCD technology, 140
Thin oxide film
Nanotechnology towards the 21st Century, 120
Transformer coupled plasma
Development of a large-area transformer coupled plasma source, 22
Transparent electrode
ITO/Ag/ITO multilayer films for the application of a very low resistance transparent electrode, 152
Two-dimensional laser induced fluorescence (2D-LIF)
Two-dimensional spatial profiles of plasma parameters in DC reactive magnetron sputtering of indium-tin-oxide, 221
Two-dimensional optical emission spectroscopy (2D-OES)
Two-dimensional spatial profiles of plasma parameters in DC reactive magnetron sputtering of indium-tin-oxide, 221

UHF Plasma
Etching using high density plasma sources, 84

Waveguide
A study on the characteristics of inductively coupled plasma using multidipole magnets and its application to oxide etching, 176

YBCO film
Preparation of YBCO/ZrO_2 thin films on Si by MOCVD using a mode converting type of microwave plasma apparatus, 132

ZrO_2 film
Preparation of YBCO/ZrO_2 thin films on Si by MOCVD using a mode converting type of microwave plasma apparatus, 132